


SPA U-CUT

Structural Panels Australia's SPA U-CUT is the quickest, simplest and most affordable product in our lineup. It consists of just four components, with which complete buildings can be formed, utilising our SPA and Tridek SIPs manufactured in our factory in Daylesford Victoria, and shipped to all parts of Australia.

The four components are SPA-FLOOR, SPA-WALL, SPA-WINDOW HEADER AND FOOTER and TRIDEK-ROOF, all in a few standard sizes. U design your structure around SPA U-CUT and receive SPA U-CUT flat packed within a few weeks of placing order. SPA U-CUT are easily cut to size, e.g. for raked walls, or U can request them pre-cut at an additional fee.



Factory 52b Mink Street, Daylesford 3460

1300 301 885

SPA WALL



Height: 2400mm, 2700mm & 3000mm

Thickness: 115mm (R-3.26), 145mm (R-4.02), 165mm (R-4.53) and 215mm (R-5.80). Other thicknesses

available on request

Width: Full 1250mm and Half 620mm

Rebates: 50mm to all edges

SPA WINDOW HEADER AND FOOTER



Height: 300mm - 1250mm Thickness: To suit wall panels

Width: Header lengths up to 3000mm

Rebates: 50mm to all edges

SPA FLOOR



Thickness: 165mm (R4.53) Other thicknesses

available on request

Width: 1250mm

Length: 2400mm, 2700mm and 3000mm

Rebates: 50mm to all edges Bearer spacing: 1500mm

TRIDEK ROOF



Profiles: Classic Series, Pro Series, Smart Series

& Icon Series

Thickness: 100mm, 125mm, 140mm, 165mm & 200mm

Other thicknesses available on request

Width: 762mm & 700mm Length: Any custom lengths

Colours: Any custom colours for top & bottom sheets

SPA U-Cut Price Guide including GST

SPA	SPA U-Cut Floor & Wall - Full Panel 1250mm Wide										
	Panel Thickness										
Length	Length 115mm 145mm 165mm 215mm										
2400mm	\$378	\$420	\$435	\$471							
2700mm	2700mm \$426 \$473 \$490 \$530										
3000mm	\$473	\$525	\$544	\$589							

SPA U-Cut Floor & Wall – Half Panel 620mm Wide											
	Panel Thickness										
Length	Length 115mm 145mm 165mm 215mm										
2400mm	\$189	\$210	\$218	\$236							
2700mm	\$213	\$237	\$245	\$265							
3000mm	\$237	\$263	\$272	\$295							

SPA	SPA U-Cut Window Header & Footer 1250mm High										
	Panel Thickness										
Length	Length 115mm 145mm 165mm 215mm										
300mm	\$48	\$53	\$55	\$59							
600mm	\$95	\$105	\$109	\$118							
900mm	\$142	\$158	\$164	\$177							

SPA	SPA U-Cut Window Header & Footer 620mm High										
	Panel Thickness										
Length	yth 115mm 145mm 165mm 215mm										
300mm	\$24	\$27	\$28	\$30							
600mm	\$48	\$53	\$55	\$59							
900mm	\$76	\$79	\$82	\$89							

SPA U-Cut Wall Span Table

WALL PANEL WITH 90MM		AS4055 WIND CLASSIFICATION									
BOX SPLINES		Panel Thickness									
Wall Height	115mm	115mm 145mm 165mm 215mm 265mm 315mm									
2400mm	N3	N6	N6	N6	N6	N6					
2700mm	N3	N6	N6	N6	N6	N6					
3000mm	N2	N6	N6	N6	N6	N6					
3600mm	N1	N3	N4	N6	N6	N6					

SPA U-Cut Floor Span Table

Floor Panels With		Max Span (mm) For	Max Span (mm) For Serviceability Limit State				
Timber Splin	es	Panel T	hickness mm				
Q = 1.5kPa		165mm	215mm				
Span Single Span		3616	4564				
2 Span Cont.		4522	5678				

Accessories:

Please see SPA Design and Constrction Guidelines for information on fixings etc. Box splines are used to join SPA U-Cut Wall panels and can be ordered from us, see accessories following.


Timber splines are used to join SPA U-Cut Floor panels, corners of SPA U-Cut Wall panels. Timber is also required for top and bottom plates as well as door and window trims. SPA does not supply any framing timber. (MGP 10 or greater. Engineered wood products must be used where required for structural adequacy).

Accessories	Price incl. GST
280mm SIPs Screw (each)	\$4.84
220mm SIPs Screw (each)	\$3.30
200mm SIPs Screw (each)	\$2.64
180mm SIPs Screw (each)	\$2.20
Expandable Foam (each)	\$44.00
Foam Applicator (each)	\$89.10
Applicator Cleaner (each)	\$49.50
Box Spline (lineal metre)	\$7.70

TRIDEK ROOF SIPS

Structural Panels Australia's Tridek SIPs for roofs and ceilings are structural roofing steel sandwich panels with a rigid insulation core that replaces all traditional structural roofing structures such as trusses, rafters, purlins and battens etc.

Tridek Roof SIPs can be ordered in any lenght between 1200mm - 22000mm. For further product information please refer to the the Tridek Design and Construction Guidelines.



Tridek SIPs Price Guide (for panels only, inclusive GST)

	Tridek SIPs SL EPS Core (Panel Thickness, mm)											
Series	mm	mm 100 125 140 165 200 250 300										
Classic	Price per m2	\$144	\$151	\$159	\$165	\$181	\$212	\$222				
Pro	Price per m2	\$145	\$160	\$165	\$178	\$186	\$213	\$224				
Smart	Price per m2	\$152	\$166	\$175	\$181	\$199	\$232	\$243				
Icon	Price per m2	-	\$159	\$172	\$184	\$203	\$235	\$246				

Accessories

SL EPS Core (Panel Thickness)										
mm	mm 100 125 140 165 200 250 300									
Fixing Price per m2	Fixing Price per m2 \$13.75 \$14.30 \$14.85 \$15.40 \$16.50 \$17.60 \$18.70									

Tridek SIPs Span Charts (based on N3 Wind Category)

Wind N3		Max Single Spans mm							
			Panel	Thickne	ss mm				
Panel Type	100	125	140	165	200	250	300		
Classic	5507	5220	5562	6112	6842	7821	8742		
Pro	5415	6105	6504	7144	7997	9145	10225		
Smart	5284	5997	6404	7057	7922	9082	10170		
Icon	5008	5616	5833	6405	7170	8199	9169		

Wind N3		Max Continuous Spans mm							
			Panel	Thickne	ss mm				
Panel Type	100	125	140	165	200	250	300		
Classic	7348	8297	8842	9715	10875	12432	13896		
Pro	7224	8146	8677	9531	10670	12201	13642		
Smart	7050	8001	8545	9415	10570	12117	13569		
Icon	6682	7493	7783	8546	9566	10939	12233		

	TRIDEK ROOF SIPs R-VALUES											
Series	Cover mm 100 125 140 165 200 250 30											
Classic	762	R2.24	R2.88	R3.26	R3.89	R4.78	R6.05	R7.32				
Pro	762	R1.76	R2.39	R2.77	R3.41	R4.30	R5.57	R6.84				
Smart	700	R2.04	R2.67	R3.05	R3.69	R4.58	R5.85	R7.12				
Icon	700	R2.24	R1.91	R2.29	R2.93	R3.82	R5.09	R6.36				

Note: Above thermal values calculated in accordance with AS/NZS 4859.1:2018 & AS/NZS 4859.2:2018